

# INDEX MAPS.

## T. 8N, R. 11E. 2<sup>nd</sup> Mer.

	7		7		7-8		6-8		6-8		6-8	
11	6	29	5	27	4	26	3	26	2	25	1	5
	28		28		27		26		25		24	
10	7	28	8	27	9	26	10	25	11	24	12	5
	22		22		23		23		23		24	
10	18	22	17	21	16	20	15	19	14	18	13	5
	21		22		20		19		19		18	
9	19	21	20	20	21	19	22	18	23	17	24	4
	16		16		16		16		17		17	
9	30	15	29	14	28	14	27	13	26	12	25	4
	15		15		14		13		12		11	
8	31	15	32	14	33	13	34	12	35	11	36	3
	1-3		1-3		1-2		1-2		1-2		2	

## T. 9N, R. 11E. 2<sup>nd</sup> Mer.

	38	37	37	37	36	36						
40	6	63	5	59	4	54	3	50	2	45	1	35
	63		59		58		54		49		45	
39	7	63	8	58	9	54	10	49	11	44	12	35
	64		62		58		53		49		44	
39	18	62	17	57	16	53	15	48	14	43	13	35
	64		62		57		52		48		43	
39	19	61	20	56	21	52	22	47	23	42	24	34
	64		61		56		51		47		42	
39	30	61	29	56	28	51	27	46	26	41	25	34
	65		60		55		51		46		41	
38	31	60	32	55	33	50	34	45	35	41	36	33
	32		32		31-32		31-33		31-33		31-33	

The figures on the lines refer to the page.

Township N. 8 North, Range N. 11 East 2.<sup>nd</sup> Mer. Ind.<sup>a</sup>  
Ch. 14.

South Boundary. Range Line.  
East On S. boundary of Sec. 31, 38 N, 121 E.  
40.00 Set temp. q. Sec. post  
80.00 Set temp. Cor. to Sec. 31 & 32  
Land flat, timber Beech, Oak, Hickory,  
Lum, Maple &c.

---

East On S. boundary of Sec. 32  
34.65 a Brook 10 th. wide Course S. W.  
40.00 Set temp. q. Sec. post  
58.05 a Brook 8 th. wide Course S. W. line runs  
up it crossing it several times  
75.80 leave the Brook, it heads N. E.  
80.00 Set temp. Corner to Sec. 32 & 33  
Land timber &c. Same as on the last mile

---

East On S. boundary of Sec. 33  
40.00 Set temp. q. Sec. post  
80.00 Set temp. Cor. to Sec. 33 & 34  
Land timber &c. Same as on the last mile

---

East On S. boundary of Sec. 34  
40.00 Set temp. q. Sec. post  
64.40 a Brook 4 th. wide Course S.  
80.00 Set temp. Cor. to Sec. 34 & 35  
Land level, timber Beech, Oak, Poplar  
Hickory &c.

---

East On S. boundary of Sec. 35  
3.00 a Brook 4 th. wide Course S.  
12.55 a Do. 5 " " " S.  
40.00 Set temp. q. Sec. post  
80.00 Set temp. Cor. to Sec. 35 & 36  
Land flat, timber Beech, Oak, Lum, Hickory &c  
November 28<sup>th</sup> 1876

---

2

S. N. E. 2<sup>nd</sup> Mer. Indiana  
ch. lly.

East On S. boundary of Sec. 36

15.40 at Brook 20 lly. wide Course S.

40.00 Set tump. gr. Sec. post

54.80 at Brook 8 lly. wide Course S.

60.17 Hill 100 lly. South of Town Corner

First 50 chaining hills - rest level, timber  
Beech, Oak, Ash, Hickory &c.

True line. Nov. 28<sup>th</sup> 1876

West On S. boundary of Sec. 36

40.00 Set gr. Sec. post, from which

a W. Oak 30 m. dist. bearing S 50 W 18 lly. dist. of

a Beech 6 " " " N 55 E 5 " "

80.00 Set post Cor. to Sec. 35 of 36, from which

a Gum 13 m. dist. bearing N 78 W 31 lly. dist. of

a Beech 7 " " " S 62 E 13 " "

West On S. boundary of Sec. 35

40.00 Set gr. Sec. post, from which

a Beech 15 m. dist. bearing S 53 W 10 lly. dist. of

a Do. 7 " " " N 58 E 9 " "

80.00 Set post Cor. to Sec. 34 of 35, from which

a Beech 11 m. dist. bearing S 56 E 18 lly. dist. of

an Ash 7 " " " N 13 E 13 " "

West On S. boundary of Sec. 34

40.00 Set gr. Sec. post, from which

a Beech 13 m. dist. bearing N 44 W 4 lly. dist. of

a Do. 6 " " " N 14 E 12 " "

80.00 Set post Cor. to Sec. 33 of 34, from which

a Beech 8 m. dist. bearing N 10 W 15 lly. dist. of

a Maple 16 " " " S 12 E 25 " "

West On S. boundary of Sec. 33

40.00 Set gr. Sec. post, from which

a Beech 22 m. dist. bearing N 52 W 15 lly. dist. of

# T. & N. R. N. E. 2<sup>nd</sup> Mer. Indiana <sup>3</sup>

ch. l. l.

a Beech 6 in. diam. - bray S 57 1/2 E 6 l. dist.  
 80.00 Set post Cor. to Sec. 32 of 33, from which  
 a Beech 11 in. diam. - bray S 89 W 11 l. dist. of  
 a Do. 10 " " " S 76 E 20 " "

West On S. boundary of Sec. 32

40.00 Set g. Sec. post, from which  
 a Hickory 13 in. diam. - bray N 77 W 14 l. dist. of  
 a Do. 8 " " " S 52 E 14 " "  
 80.00 Set post Cor. to Sec. 31 of 32, from which  
 a Beech 22 in. diam. - bray N 37 W 31 l. dist. of  
 a Do. 20 " " " S 49 W 16 " "

West On S. boundary of Sec. 31

40.00 Set g. Sec. post, from which  
 a Beech 13 in. diam. - bray N 60 W 21 l. dist. of  
 a Do. 10 " " " S 55 W 22 " "  
 60.17 to Township Corner. November 29<sup>th</sup> 1806

East Boundary.

var 5.40 E

North On E. boundary of Sec. 36

18.88 a Beech 20 in. diam.  
 26.50 a Branch of Langhury Cr. 50 l. wide Cr. E.  
 29.60 main Langhury Creek 100 l. wide runs E. land  
 between this and last an Island  
 32.00 a Brook 6 l. wide runs N. E.  
 40.00 Set g. Sec. post, from which  
 a Beech 14 in. diam. - bray N 42 E 7 l. dist. of  
 a Do. 24 " " " S 30 W 11 " "  
 42.47 a Beech 28 " "  
 51.50 Langhury Creek runs S. W.  
 68.15 a Sugar 16 in. diam.  
 80.00 Set post Cor. to Sec. 25 of 26, from which  
 a Sugar 8 in. diam. - bray N 70 W 3 l. dist. of  
 a Beech 12 " " " S 69 E 22 " "  
 Land waving, timber Beech, Sugar, Oak,



4 S & N N E. 2<sup>d</sup> Mer. Indiana  
ch<sup>d</sup>. l<sup>th</sup>. Poplar, Elm, Sycamore &c.

North On E. boundary of Sec. 25

3.25 Laughery Creek runs S 70 E.

8.00 a Spring runs S. W.

26.13 a Poplar 40 in. dia?

35.00 a Brook 6 l<sup>th</sup>. wide Course W.

40.00 Let of Sec. post, from which

a Beech 7 in. dia. - by N 29 W 18 l<sup>th</sup>. dist. of

a W. Oak 13 " " " S 62 E 18 " "

49.25 a Brook 5 l<sup>th</sup>. wide Course W.

58.50 a Do. 6 " " " N. W.

69.65 an Ash 24 in. dia?

70.00 a Brook 4 l<sup>th</sup>. wide Course W.

76.00 a Do 4 " " " W.

80.00 Let post Cor. to Sec. 24 & 25, from which

a Sugar 12 in. dia. - by S 25 E 3 l<sup>th</sup>. dist. of

a Beech 22 " " " N 43 W 20 " "

Sand Broken, timber Beech, Sugar, Oak,  
Poplar, Ash &c

North On E. boundary of Sec. 24

12.70 Laughery Creek (branch of) 70 l<sup>th</sup>. wide Cr. S. W. 4 l<sup>th</sup>.

21.00 Branch of Laughery 60 l<sup>th</sup> upper point of Island

34.54 a Beech 16 in. dia?

40.00 Let of Sec. post, from which

a Beech 16 in. dia - by N 68 E 15 l<sup>th</sup>. dist. of

a Do. 15 " " " S 81 W 37 " "

49.95 a Beech 20 " "

70.50 Laughery Creek 150 l<sup>th</sup>. wide runs E.

80.00 Let post Cor. to Sec. 13 & 24, from which

a Beech 12 in. dia. - by N 48 W 18 l<sup>th</sup>. dist. of

a Cherry 13 " " " S 22 E 15 " "

Sand hilly, timber Beech, Sugar, Oak  
Poplar, Hickory &c.

S. N. P. M. E. D. Mer. Indiana 5

Ch. Lm.

North On E. boundary of Sec. 13

5.00 a Brook 8 lms. wide Course W.

12.12 a Beech 16 in. dia.

21.00 a Brook 7 lms. wide Course W.

33.63 a W. Oak 57 in. dia.

40.00 Let q. Sec. post, from which  
a Beech 28 in. dia. - bray S 58 9 lms. dist. of  
a Do. 17 " " " N 27 E 41 " "

45.95 a W. Oak 30 " "

51.90 a Brook 6 lms. wide Course W.

62.20 a Do. 4 " " " W.

67.00 a Do. 5 " " " W.

80.00 Let post Cor. to Sec. 12 of 13, from which  
a Beech 14 in. dia. - bray N 3 E 13 lms. dist. of  
a Do. 8 " " " N 10 E 33 " "  
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12

8.00 a Brook 5 lms. wide Course N. W.

18.25 a Do. 20 " " " W.

20.60 a Sugar 17 in. dia.

40.00 Let q. Sec. post, from which  
a W. Oak 40 in. dia. - bray S 22 W 16 lms. dist. of  
a Sassafras 5 " " " N 10 W 13 " "

53.50 a Brook 4 lms. wide Course S. E.

74.30 a Beech 17 in. dia.

80.00 Let post Cor. to Sec. 11 of 12, from which  
a Hickory 16 in. dia. - bray N 6 W 25 lms. dist. of  
a Beech 9 " " " S 36 W 30 " "  
Sand waving, timber Beech, Oak, Sugar  
Poplar, Elm &c.

North On E. boundary of Sec. 1

39.50 a Brook 3 lms. wide Course W.

40.00 Let q. Sec. post, from which  
a Beech 8 in. dia. - bray N 47 W 22 lms. dist. of

6 T8 N. R11 E. 2<sup>d</sup> Mer. Indiana  
ch<sup>d</sup>. l<sup>y</sup>.

a Beech 16 in. dia. - bray S 21 E 8 l<sup>y</sup>, dist. of  
57.46 a W. Oak 42 " "  
65.00 a Brook 15 l<sup>y</sup>, wide Course W.  
80.00 Set post Cor. to Township 8 N 9 North, of  
Range 11 E 12 East, from which  
a Beech 7 in. dia. - bray N 59 W 7 l<sup>y</sup>, dist. of  
a W. 8 " " " S 53 E 13 " "  
Land hilly, timber Beech, Oak, Hickory  
Poplar, Ash, Sugar &c. Jan<sup>y</sup>. 14<sup>th</sup>. 1807

---

North Boundary. Random line.  
West On S. boundary of Sec. 36, T9 N. R11 E.  
30.00 a Brook 5 l<sup>y</sup>, wide Course S. W.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. See. post  
54.00 Langhury Creek at a bend, run<sup>y</sup> S. line run<sup>y</sup>  
up it 450 l<sup>y</sup>, leave it on same side, Course up it S. W.  
68.25 Langhury Creek 130 l<sup>y</sup>, wide Course S. W.  
80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 35 & 36  
Land hilly, timber Beech, Oak, Hick<sup>y</sup>,  
Ash, Sugar &c.

---

West On S. boundary of Sec. 35, T9 N. R11 E.  
24.00 a Brook 10 l<sup>y</sup>, wide Course N.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. See. post  
72.60 a Brook 8 l<sup>y</sup>, wide C. S. N. E. line run<sup>y</sup> up it 156 l<sup>y</sup>,  
Course up it N. W.  
80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 34 & 35  
Land broken, timber Beech, Sugar, Oak,  
Hickory, Poplar, Ash &c.

---

West On S. boundary of Sec. 34, T9 N. R11 E.  
2.40 a Brook 4 l<sup>y</sup>, wide Course N. E.  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. See. post  
80.00 Set temp<sup>y</sup>. See. post. Cor. to Sec<sup>s</sup>. 33 & 34  
Land flat, timber Beech, Hickory, Poplar,  
Oak, Gum, Maple &c.

T9 N R11 E. 2<sup>nd</sup> Mer. Indiana

7

ch. lth.  
West On S. boundary of Sec. 33, T9 N. R11 E.  
18.25 at Brook 5 lth. wide Corner S.  
40.00 Let tempy. q. Sec. post  
44.40 at Brook 6 lth. wide Corner S. E.  
80.00 Let tempy. Cor. to Sec. 32 of 33  
Land timber &c. same as on the last mile

West On S. boundary of Sec. 32, T9 N. R11 E  
40.00 Let tempy. q. Sec. post  
76.75 at Brook 15 lth. wide Corner S & E.  
80.00 Let tempy. Cor. to Sec. 31 & 32  
Land waving, timber Beech, Oak, Sugar  
Poplar, Hickory, Ash &c.

West On S. boundary of Sec. 31, T9 N. R11 E.  
1.05 at Brook 8 lth. wide Corner S.  
14.00 a No. 4 " " " S  
40.00 Let tempy. q. Sec. post  
55.08 Full 2 1/2 lth. S. of Town Corner.  
Land level timber Beech, Oak, Poplar, Ash,  
Sugar &c.

True Line.

East On S. boundary of Sec. 31, T9 N. R11 E.  
15.08 Let q. Sec. post, from which  
a Beech 8 in. dia. bray N 54 W 13 lth. dist. of  
a No. 8 " " " S 49 E 30 " "  
20.00 a Poplar 16 " "  
55.08 Let post Cor. to Sec. 31 & 32, from which  
a Sugar 24 in. dia. bray East 13 lth. dist. of  
a Hickory 13 " " " N 70 W 10 " "

East On S. boundary of Sec. 32, T9 N. R11 E.  
40.00 Let q. Sec. post, from which  
a Beech 20 in. dia. bray S 74 E 25 lth. dist. of  
a No. 9 " " " S 69 W 25 " "



8 T8 N. R11 E. 2<sup>nd</sup> Mer. Indiana

ch. 1/4.

80.00 Set post Cor. to Sec. 32 of 33, from which  
an Ash 22 m. dist. bearing S 57 E 28 ch. dist. of  
an Elm 16 " " " S 52 W 2 " "

---

East On S. boundary of Sec. 33, T9 N. R11 E.

40.00 Set q. Sec. post, from which  
a Beech 16 m. dist. bearing S 47 E 33 ch. dist. of  
a Do. 9 " " " N 67 W 11 " "

80.00 Set post Cor. to Sec. 33 of 34 from which  
a W. Oak 20 m. dist. bearing West 27 ch. dist. of  
a Beech 7 " " " S 80 E 30 " "

---

East On S. boundary of Sec. 34, T9 N. R11 E

40.00 Set q. Sec. post, from which  
a Beech 8 m. dist. bearing N 72 E 21 ch. dist. of  
a Do. 6 " " " S 47 W 31 " "

80.00 Set post Cor. to Sec. 34 of 35, from which  
a Sugar 7 m. dist. bearing S 76 E 10 ch. dist. of  
a Beech 24 " " " N 58 W 12 " "

---

East On S. boundary of Sec. 35, T9 N. R11 E.

40.00 Set q. Sec. post, from which  
a Beech 5 m. dist. bearing N 31 E 5 ch. dist. of  
a Do. 16 " " " S 12 W 12 " "

80.00 Set post Cor. to Sec. 35 of 36, from which  
a Beech 7 m. dist. bearing S 87 E 20 ch. dist. of  
a Do 30 " " " N 53 W 10 " "

---

East On S. boundary of Sec. 36, T9 N. R11 E.

40.00 Set temp. q. Sec. post, from which  
a Beech 9 m. dist. bearing S 21 E 19 ch. dist. of  
a Do. 15 " " " N 38 W 11 " "

80.00 to Township Corner. Jan'y. 15<sup>th</sup>. 1807

---

West Boundary var. 6.00 E.  
North On E. boundary of Sec. 36, T8 N. R10 E

*T8 N. 1211 E. 2<sup>nd</sup> Mer. Indiana* 9

*ch. 1/4.*

- 5.96 a Beech 7 m. diam.  
 20.00 a Brook 4 1/2 m. wide Course W.  
 40.00 At gr. Sec. post, from which  
 a Beech 7 m. diam. bray N 30 E 9 1/2 m. dist. of  
 a Do. 6 " " " S 19 W 22 " "  
 52.25 a Brook 20 1/2 m. wide Course N. W.  
 55.44 a W. Oak 42 m. diam.  
 76.20 a Brook 5 1/2 m. wide Course N. W.  
 80.00 At post Co. to Sec. 25 of 36, from which  
 a Beech 11 m. diam. bray N 40 W 7 1/2 m. dist. of  
 a Do. 24 " " " S 33 E 15 " "  
 Land waving timber Beech, Oak, Poplar,  
 Ash, Sugar &c.

---

*North On E. boundary of Sec. 25, T8 N. 1210 E*

- 21.80 a Brook 6 1/2 m. wide Course N. W.  
 24.00 a Do. 40 " " " S. W.  
 27.40 a Beech 13 m. diam.  
 37.04 a Do. 20 " "  
 38.00 a Brook 4 1/2 m. wide Course E.  
 40.00 At gr. Sec. post, from which  
 a Beech 16 m. diam. bray N 40 E 4 1/2 m. dist. of  
 a Do. 6 " " " N 30 W 29 " "  
 43.34 a Beech 24 " "  
 50.50 a Do. 30 " "  
 80.00 At post Co. to Sec. 24 of 25, from which  
 a Beech 11 m. diam. bray N 85 E 2 1/2 m. dist. of  
 a Do. 6 " " " S 78 W 20 " "  
 Land timber &c. same as on last mile  
 January 10<sup>th</sup> 1807

---

*North On E. boundary of Sec. 24, T8 N. 1210 E*

- 10.00 a Brook 5 1/2 m. wide Course N. W.  
 12.00 a Do. 5 " " " N. W.  
 15.50 a Do. 6 " " " N. W.  
 17.80 a Poplar 42 m. diam.

T8 N. R14 E. 2<sup>d</sup> Mer. Indianach<sup>d</sup>. lky

27.25 a Brook 15 lky, wide Course N.

40.00 Set of Sec. post, from which

a Beech 17 in. dia<sup>r</sup>. bray N 43° W 22 lky, dist. of  
a Sugar 7 " " " S 84° W 13 " "

42.50 a Brook 5 lky, wide Course S. W.

57.20 a Poplar 42 in. dia<sup>r</sup>.

62.50 a Brook 4 lky, wide Course N.

69.50 a Do. 4 " " " N.

78.00 a Do. 5 " " " N. W.

80.00 Set post Cor. to Sec. 13 of 24, from which

a Sugar 22 in. dia<sup>r</sup>. bray N 57° W 29 lky, dist. of  
a Do. 8 " " " S 88° E 21 " "

Sand timber &amp;c. same as on the last mile

North On E. boundary of Sec. 13, T8 N. R10 E.

25.46 a Beech 17 in. dia<sup>r</sup>.

40.00 Set of Sec. post, from which

a Sugar 12 in. dia<sup>r</sup>. bray N 31° W 31 lky, dist. of  
a Beech 10 " " " S 43° E 32 " "

41.50 a Brook 6 lky, wide Course S. W.

47.50 a Do. 5 " " " N

58.13 a W. Oak 36 in. dia<sup>r</sup>.

63.75 a Brook 6 lky, wide Course N.

80.00 Set post Cor. to Sec. 12 of 13, from which

a Blk. Gum 20 in. dia<sup>r</sup>. bray S 83° W 10 lky, dist. of  
a Sugar 7 " " " S 79° E 30 " "

Sand timber &amp;c. same as on last mile

North On E. boundary of Sec. 12, T8 N. R10 E.

7.75 a Brook 20 lky, wide Course N.

27.32 a Hickory 14 in. dia<sup>r</sup>.

40.00 Set of Sec. post, from which

a Beech 15 in. dia<sup>r</sup>. bray N 56° E 11 lky, dist. of  
a Do. 13 " " " S 61° W 32 " "

48.90 a Brook 12 lky, wide Course N.

60.95 a W. Oak 36 in. dia<sup>r</sup>.

# T8 N. R11 E. 2<sup>nd</sup> Mer. Indiana 11

ch. 1/4.

65.20 a Brook 20 lks. wide Course S. W.  
 80.00 Set post Cor. to Secs. 1 & 12, from which  
 a Beech 24 in. dia. bear S 22 E 13 lks. dist. of  
 a Sugar 11 " " " N 25 W 30 " "  
 Land waving, timber same as on last mile

North On E. boundary of Sec. 1, T8 N. R10 E.

28.25 a Beech 13 in. dia.  
 40.00 Set gr. Sec. post, from which  
 a Beech 11 in. dia. bear S 55 W 13 lks. dist. of  
 a Do. 9 " " " N 70 E 16 " "  
 48.95 a Beech 14 " "  
 65.62 a Sugar 15 " "  
 66.50 a Brook 4 lks. wide Course W.  
 80.00 Set post Cor. to Township 8 & 9 North, of  
 Range 10 & 11 East, from which  
 a Beech 8 in. dia. bear S 47 W 5 lks. dist. of  
 a Do. 14 " " " N 69 W 34 " "  
 Land timber &c. same as on the last mile

January 10<sup>th</sup> 1877  
 Surveyed by  
 John Brownson,  
 Deputy Surveyor

## Subdivision.

North Between Secs. 35 & 36, T8 N. R11 E.

32.00 a Brook 8 lks. wide Course E.  
 40.00 Set gr. Sec. post, from which  
 a Sugar 10 in. dia. bear N 30 W 8 lks. dist. of  
 a Do. 12 " " " East — " "  
 41.50 a Stream 18 lks. wide Course S. E.  
 80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which  
 a Beech 36 in. dia. bear S 15 W 12 lks. dist. of  
 a Do. 30 " " " N 10 E 28 " "  
 Level Cold 3<sup>rd</sup> rate Meadow land, timber Beech  
 Oak, Sugar, Gum &c.



12

S & N E 11 E. 2<sup>nd</sup> Mer. Indiana

Ch. lky.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 25 & 3640.00 Set temp<sup>y</sup>. gr<sup>e</sup>. Sec. post80.00 Intersected the E. boundary 50 lky. N. of post  
This mile some broken, timber Beech, Oak &c.West Corrected between Sec<sup>s</sup>. 25 & 36

10.00 the Creek 200 lky. to our right

30.00 the Creek head, North

40.00 a Beech 10 in. dia<sup>r</sup>. stand for gr<sup>e</sup>. Sec. post  
at average dist on true line

80.00 to Sec. Corner

North Between Sec<sup>s</sup>. 25 & 2640.00 Set gr<sup>e</sup>. Sec. post, from which  
a Beech 8 in. dia<sup>r</sup>. bray S 8 E 9 lky. dist. 7  
a Do. 36 " " " S 60 N 33 " "80.00 Set post Cor. to Sec<sup>s</sup>. 23, 24, 25 & 26, from which  
a Beech 24 in. dia<sup>r</sup>. bray N 69 E 13 lky. dist. 7  
a Do. 12 " " " S 11 N 7 " "  
Level 3<sup>rd</sup> rate Open wood, Beech, Oak &cNorth Between Sec<sup>s</sup>. 34 & 3540.00 a W. Ash 12 in. dia<sup>r</sup>. stand for gr<sup>e</sup>. Sec. Corner

70.00 a Brook 10 lky. wide Course E.

80.00 Set post Cor. to Sec<sup>s</sup>. 26, 27, 34 & 35, from which  
a Sugar 10 in. dia<sup>r</sup>. bray S 10 E 6 lky. dist. 7  
a Beech 24 " " " N 10 E 27 " "  
This mile level 2<sup>nd</sup> rate Beech, Oak, Sugar &cEast On Rand<sup>m</sup>. between Sec<sup>s</sup>. 26 & 3540.00 Set temp<sup>y</sup>. gr<sup>e</sup>. Sec. post79.00 intersected the N & S. line 131 lky. N. of post  
This mile level, Beech, Poplar, Oak & SugarWest Corrected between Sec<sup>s</sup>. 26 & 3539.50 Set gr<sup>e</sup>. Sec. post at average dist from which

ch<sup>d</sup> lky.

a W. Oak 6 in. dia. bray N 26 lky. dist. 4  
 a Beech 10 " " " North 25 " "  
 79.00 to Sec. Corner

North Between Secs. 26 &amp; 27

44.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 8 in. dia. bray S 40 W 19 lky. dist. 4  
 an Elm 14 " " " N 50 E 12 " "  
 66.50 a Brook 8 lky. wide Corner E.  
 80.00 Set post Corner to Secs. 22, 23, 26 & 27, from which  
 a Beech 10 in. dia. bray S 17 E 18 lky. dist. 4  
 a Do. 8 " " " North 25 " "  
 Land level 3<sup>d</sup> rate Beech & Hickory

North Between Secs. 33 &amp; 34

40.00 Set q<sup>r</sup>. Sec. post, from which  
 an Elm 12 in. dia. bray S 75 W 14 lky. dist. 4  
 a Beech 8 " " " S 50 E 14 " "  
 80.00 Set post Cor. to Secs. 27, 28, 33 & 34, from which  
 a Beech 8 in. dia. bray N 48 E 7 lky. dist. 4  
 a Do. 4 " " " S 57 W " "  
 This mile low, wet, 3<sup>d</sup> rate land

East On Land<sup>m</sup>. between Secs. 27 & 34

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.00 Intersected the N & S. line 17 lky. S. of post  
 This mile level 3<sup>d</sup> rate, Beech, Sugar, Gum &c.

West Corrected between Secs. 27 &amp; 34

24.00 a Brook 10 lky. wide Corner S.  
 40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 18 in. dia. bray N 29 E 22 lky. dist. 4  
 a W. Oak 16 " " " South 11 " "  
 80.00 to Sec. Corner

North Between Secs. 27 &amp; 28

T8 N 1211 E. 2<sup>d</sup> Mer. Indianach. 4<sup>th</sup>.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 8 in. dia<sup>r</sup>. bey N 40° W 34 ch. dist. 7  
 a W. Oak 40 " " " S 56° E 16 " "  
 80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which  
 a Hickory 14 in. dia<sup>r</sup>. bey N 16° E 17 ch. dist. 7  
 a Beech 9 " " " N 40° E 7 " "  
 Level Cold 3<sup>d</sup> cate land, Beech, Oak, Hick<sup>y</sup>, Maple

## North Between Secs. 32 &amp; 33

- 11.40 a Beech 12 in. dia<sup>r</sup>. in the line  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 12 in. dia<sup>r</sup>. bey South 14 ch. dist. 7  
 a Do. 6 " " " North 12 " "  
 80.00 a W. Oak 6 in. dia<sup>r</sup>. stands for the corner to  
 Secs. 28, 29, 32 & 33, This mile level land timb<sup>r</sup>.  
 Oak, Beech, Poplar, &c. 3<sup>d</sup> cate

East On Rand<sup>m</sup> between Secs. 28 & 33

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.00 Intersected the N & S. line 9 ch. S. of post  
 Land timber &c. Same as on the last mile

## West Connected between Secs. 28 &amp; 33

- 40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a W. Oak 3 in. dia<sup>r</sup>. bey North 1 link dist. 7  
 a Do. 3 " " " South 3 ch. " "  
 62.71 a Beech 12 " " in the line  
 80.00 Section Corner.

## North Between Secs. 28 &amp; 29

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 6 in. dia<sup>r</sup>. bey N 11° W 14 ch. dist. 7  
 a Do. 16 " " " S 20° E 19 " "  
 80.00 Set post Cor. to Secs. 20, 21, 28 & 29, from which  
 a Gum 12 in. dia<sup>r</sup>. bey N 22° W 7 ch. dist. 7  
 a Beech 10 " " " South 20 " "

S & N. P. M. E. T. Mer. Indiana<sup>15</sup>  
Ch. 14.  
Land level 3<sup>d</sup> rate timber & Beech &c.

---

North Between Secs. 31 & 32  
40.00 Set of Sec. post, from which  
a Beech 11 in. dia. bray N 80 E 27 lks. dist. &  
a Do. 8 " " " S 60 E 14 " "  
80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which  
an Elm 12 in. dia. bray N 25 W 12 lks. dist. &  
a Beech 4 " " " N 58 E 13 " "  
Land timber &c. Same as on the last mile

---

East On Rand. between Secs. 29 & 32  
40.00 Set temp. of Sec. post  
80.16 Intersected the N & S. line at the post  
Land level 2<sup>d</sup> rate, Beech, Oak, Poplar Gum &c.

---

West Corrected between Secs. 29 & 32  
40.08 Set of Sec. post at average dist. from which  
a Beech 14 in. dia. bray N 40 E 16 lks. dist. &  
a Sugar 4 " " " N 20 W 6 " "  
80.16 to Sec. Corner.

---

West Between Secs. 30 & 31  
40.00 Set of Sec. post, from which  
a Beech 4 in. dia. bray North 2 lks. dist. &  
no other bearing tree  
60.40 Intersected the W. boundary 20 lks. N. of post  
Set post Cor. to Secs. 30 & 31, from which  
a Beech 4 in. dia. bray East 15 lks. dist. &  
a Do. 14 " " " — 28 " "  
Land timber &c. Same as on the last mile

---

North Between Secs. 29 & 30  
40.00 a Beech 4 in. dia. Stand for. of Sec. Corner  
61.25 a Rocky Branch 8 lks. wide Course W.  
80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which



## S &amp; A - R M E. T. Mer. Indiana

a Beech 3 in. dia. bray N 11 W 14 lks. dist. of  
 a Do. 18 " " " South 21 " "  
 Land timber &c. same as on last mile

## West Return Dec. 19 &amp; 30

40.00 Set q. Sec. post, from which  
 a Beech 4 in. dia. bray West 14 lks. dist. of  
 a W. Oak 10 " " " S 40 E 21 " "

62.25 Intersected the N. boundary at the post  
 Brooken 3<sup>d</sup> rate, Beech, Oak, Poplar &c.

East On Rand<sup>m</sup> between 20 & 29

40.00 Set temp<sup>y</sup>. q. Sec. post

80.20 Intersected the N & S. line 15 lks. S of post  
 Soil 3<sup>d</sup> rate land Beech, Oak, Poplar

## West Corried between Dec. 20 &amp; 29

40.10 Set q. Sec. post at average dist. from which  
 a Beech 10 in. dia. bray S 10 W 14 lks. dist. of  
 a Poplar 10 " " " N 40 E 14 " "

80.20 to Sec. Corner

East On Rand<sup>m</sup> between Dec. 21 & 28

40.00 Set temp<sup>y</sup>. q. Sec. post

80.30 Intersected the N & S. line 20 lks. S. of post  
 This mile low flat 3<sup>d</sup> rate land, timber Oak  
 Beech, Maple, Poplar, good meadow ground

## West Corried between Dec. 21 &amp; 28

40.15 Set q. Sec. post at average dist. for which  
 a Beech 6 in. dia. stands for q. Sec. Corner

80.30 to Sec. Corner.

East On Rand<sup>m</sup> between Dec. 22 & 27

40.00 Set temp<sup>y</sup>. q. Sec. post

80.00 Intersected the N & S. line at the post.

17

S. N. P. M. & D. Mer. Indiana  
ch. l. l. y.

Level 3<sup>rd</sup> rate, Beech land Cold soil

West Connected between Sec. 22 & 27

40.00 Set gp. See post, at average dist. from which  
a Poplar 60 in. dia. bay N 50 W 15 l. y. dist. y  
a Beech 15 " " " S 84 E 13 " "

80.00 to Sec. Corner.

East On Land<sup>m</sup> between Sec. 23 & 26

40.00 Set temp. gp. See post

79.00 Intersected the N & S. line 40 l. y. S. of post  
This mile level Beech land - Soil Cold 3<sup>rd</sup> rate

West Connected between Sec. 23 & 26

39.50 Set gp. See post at average dist. from which  
a Hickory 16 in. dia. bay N 71 E 23 l. y. dist. y  
a Beech 10 " " " S 80 E 25 " "

79.00 to Sec. Corner

East On Land<sup>m</sup> between Sec. 24 & 25

37.00 to the bank of Laughery Creek a precipice of  
Rocky 70 feet high

40.00 Set temp. gp. See post on the ice in the Creek

80.00 Intersected the E. boundary at the post

The last half mile level, the other hilly 3<sup>rd</sup> rate  
timber Beech, Oak &c.

West Connected between Sec. 24 & 25

40.00 gp. See. Co. in the middle of Laughery Creek  
a Sugar 12 in. dia. bay West 30 l. y. dist.  
no other bearing tree

43.00 ascend a cliff of Rocky & enter level Beech land

80.00 to Sec. Corner.

North Between Sec. 23 & 24 S. N. P. M. & D.

40.00 Set gp. See post, from which

S. N. P. N. E. 2<sup>nd</sup> Mer. Indiana

ch. 1/2.

a Beech 8 in. dia. bray S 41 W 12 lks. dist. of  
 a Do. 24 " " " N 57 E 17 " "  
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Sugar 12 in. dia. bray S 30 W 22 lks. dist. of  
 a Beech 9 " " " N 38 E 13 " "  
 This mile some broken Beech, Poplar &c. 2<sup>nd</sup> rate

---

East On Land<sup>m</sup> between Sec. 13 & 24

5.00 a Brook 10 lks. wide Course N.  
 40.00 Set temp. q. Sec. post  
 55.00 to the bank of Langhury run, S.W. thence up the Cr.  
 65.00 the Creek heads North  
 81.00 Intersected the E. boundary 50 lks. S. of post  
 This mile broken 3<sup>rd</sup> rate Beech, Oak, Poplar &c.

---

West Corrected between Sec. 13 &amp; 24

15.00 to the bank of Langhury Creek Course S.W.  
 40.50 Set q. Sec. post at average dist. from which  
 a Beech 6 in. dia. bray South 8 lks. dist. of  
 a Gum 18 " " " North 10 " "  
 81.00 to Sec. Corner

---

North Between Sec. 13 &amp; 14, S. N. P. N. E.

18.50 a Brook 12 lks. wide Course N.  
 40.00 Set q. Sec. post from which  
 a Dogwood 3 in. dia. bray N 60 W 7 lks. dist. of  
 a W. Oak 11 " " " S 31 E 16 " "  
 62.50 a stream 15 lks. wide Course N 30 E.  
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which  
 a W. Oak 18 in. dia. bray North 21 lks. dist. of  
 no other Bearing tree  
 Broken 3<sup>rd</sup> rate land timber Beech, Oak &c.

---

North Between Sec. 22 &amp; 23

40.00 Set q. Sec. post, from which  
 a Sugar 12 in. dia. bray S 10 W 24 lks. dist. of

Ch. lky.

at Beech 8 in. dia. - bray S 30 E 16 lky. dist.

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
a Hickory 12 in. dia. - bray S 137 W 10 lky. dist. &  
a Beech 8 " " " S 80 E 24 " "  
Land level 2<sup>nd</sup> rate Beech, Hickory & Poplar

East On Randm. between Sec. 14 & 23

40.00 Set temp. q<sup>r</sup>. Sec. post

80.00 Intersected the N & S. line at the post  
Land level 2<sup>nd</sup> rate, Beech & Poplar, underg<sup>th</sup> Spruce

West Corrected between Sec. 14 & 23

40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 12 in. dia. - bray S 80 E 26 lky. dist. &  
a do. 28 " " " S 40 W 17 " "

80.00 to Sec. Corner.

North Between Sec. 14 & 15, S 8 N. R 11 E.

40.00 a stream 14 lky. wide Course East and Set  
q<sup>r</sup>. Sec. post, from which

a Sugar 10 in. dia. - bray S 60 E 20 lky. dist. &  
80.00 a Poplar 60 in. dia. Stand for the Cor. to Sec. 14,  
10, 11, 14 & 15. This mile level 2<sup>nd</sup> rate land  
Beech, Oak & some Poplar, underg<sup>th</sup> Spruce

North Between Sec. 21 & 22

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 16 in. dia. - bray South 15 lky. dist. &  
a do. 3 " " " N 70 E 6 " "

80.00 Set post Cor. to Sec. 16, 15, 21 & 22, from which  
a Sugar 4 in. dia. - bray N 50 E 15 lky. dist. &  
a do. 4 " " " S 37 W 9 " "  
Land timber &c. same as on the last mile

East On Randm. between Sec. 15 & 22

28.00 at Brook 5 lky. wide Course N. E.



20

## S. N. P. M. E. D. Mer. Indiana

Ch. P. Lg.

32.50 a water Course 10 Lg. wide runs N.

40.00 Set temp. q. See. post

80.00 Intersected the N & S. line at the post  
Land timber &c. Same as on the last mile

West Corrected between Sec. 15 &amp; 22

40.00 Set q. See. post at average dist. from which  
a Beech 14 in. dia. bray East 14 Lg. dist. of  
a Sugar 8 " " " N 14 W 14 " "

47.50 a Brook 10 Lg. wide Course N.

52.00 a Do. 6 " " " N. E.

80.00 to See. Corner.

North Between Sec. 15 &amp; 16

40.00 Set q. See. post, from which  
a Beech 12 in. dia. bray East 16 Lg. dist. of  
a Do. 8 " " " West 14 " "80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
a P. Ash 8 in. dia. bray N 28 W 19 Lg. dist. of  
a Beech 10 " " " S 42 E 21 " "This mile low wet land 3<sup>rd</sup> rate, timbered Beech  
Ash, Hickory, Maple &c

North Between Sec. 20 &amp; 21

40.00 Set q. See. post, from which  
a Beech 3 in. dia. bray East 3 Lg. dist. of  
a Gum 12 " " " South 11 " "

64.75 a Stream 8 Lg. wide Course W.

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
a Beech 8 in. dia. bray N 20 E 14 Lg. dist. of  
a Do. 6 " " " S 70 W 12 " "  
Land timber &c. Same as on the last mile

East On Land between Sec. 16 &amp; 21

40.00 Set temp. q. See. post

80.00 Intersected the N &amp; S. line 18 Lg. S. of post

21

T8 N. R11 E. 2<sup>d</sup> Mer. Indiana  
Ch. 1/2 ly. Sand timber &c. same as on the last mile

---

West Correlated between Secs. 16 & 21  
25.25 a stream 8 1/2 ly. wide corner S.  
40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Gum 8 in. diam. bray North 3 1/2 ly. dist. &  
a Do. 12 " " " South 3 " "  
80.00 to Sec. corner

---

North Between Secs. 16 & 17, T8 N. R11 E.  
30.25 a stream 10 1/2 ly. wide runy South  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 4 in. diam. bray N 71 W 4 1/2 ly. dist. &  
Do 6 " " " South 4 " "  
80.00 Set post cor. to Secs. 8, 9, 16 & 17, from which  
a Beech 12 in. diam. bray S 40 W 8 1/2 ly. dist. &  
a Do. 12 " " " N 11 E 14 " "  
Sand level, Beech, Maple &c. Soil Cold

---

North Between Secs. 19 & 20  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 8 in. diam. bray S 14 W 2 1/2 ly. dist. &  
a Gum 16 " " " East 7 " "  
80.00 Set post cor. to Secs. 17, 18, 19 & 20, from which  
a Beech 16 in. diam. bray N 19 E 4 1/2 ly. dist. &  
a Gum 11 " " " West 9 " "  
Sand timber &c. same as on the last mile

---

West Between Secs. 18 & 19  
20.00 a stream 15 1/2 ly. wide runy E.  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 4 in. diam. bray East 15 1/2 ly. dist. &  
a Do. 12 " " " West 34 " "  
60.50 Intersected the N. boundary at the post  
Level 2<sup>d</sup>. rate land, Beech, Oak, Poplar

---

S. N. & E. 2<sup>d</sup> Mer. Indiana

ch. lky.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 17 & 2040.00 Set temp<sup>t</sup>. g<sup>r</sup>. Sec. post80.00 Intersected the N & S. line 27 lky. S. of post  
Level 3<sup>d</sup>. rate land Oak, Beech, Gum &c.West Corrected between Sec<sup>s</sup>. 17 & 2040.00 Set g<sup>r</sup>. Sec. post at average dist. from which  
a Beech 14 in. diam. bear N 17° W 13 lky. dist. &  
a Gum 12 " " " South 11 " "

80.00 to Sec. Corner.

North Between Sec<sup>s</sup>. 17 & 18

38.25 a stream 14 lky. wide Course W.

40.00 an Ironwood 4 in. diam. Stand for g<sup>r</sup>. Sec. Corner80.00 Set post Cor. to Sec<sup>s</sup>. 7, 8, 17 & 18, for which  
a Maple 8 in. diam. Stand for the Corner  
Land level Soil Cold Beech, Maple &c.West Between Sec<sup>s</sup>. 7 & 1840.00 Set g<sup>r</sup>. Sec. post, from which  
a Beech 8 in. diam. bear S 9° E 4 lky. dist. &  
a W. Oak 6 " " " N 39° W 6 " "

62.10 Intersected N. boundary 10 lky. N. of post

Set post Cor. to Sec<sup>s</sup>. 7 & 18, from which  
a W. Oak 11 in. diam. bear N 14° W 6 lky. dist.

No other bearing tree

Level 3<sup>d</sup>. rate Beech, Oak, Gum &c.East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 8 & 1740.00 Set temp<sup>t</sup>. g<sup>r</sup>. Sec. post80.00 Intersected the N & S. line 61 lky. N. of post  
This mile level 3<sup>d</sup>. rate Cold Soil, timber  
Beech, Oak, Maple &c.West Corrected between Sec<sup>s</sup>. 8 & 1740.00 Set g<sup>r</sup>. Sec. post at average dist. from which

ch. lks

a Maple 10 in. dia. bray S 2 W 4 lks. dist. of  
at Beech 14 " " " N. E. 17 " "  
50.27 at Beech 16 " " in the line  
80.00 to Sec. Corner

East On Rand<sup>m</sup> between Sec. 9 & 16

40.00 Set temp. q. Sec. post

79.66 Intersected the N & S. line 46 lks. N. of post  
Level good meadow ground soil Cold 3<sup>rd</sup> rate  
timber Beech, Oak, Poplar, Gum &c

West Corrected between Sec. 9 & 16

39.83 Set q. Sec. post at average dist. from which  
a Maple - in. dia. bray S 3 W 4 lks. dist. of  
a do. 10 " " " North 3 " "

44.17 at Beech 18 " " in the line

79.66 to Sec. Corner

East On Random between Sec. 10 & 15

40.00 Set temp. q. Sec. post

79.69 Intersected the N & S. line 200 lks. S. of post  
Level 2<sup>nd</sup> rate Beech, Poplar, Spice under 7<sup>th</sup>

West Corrected between Sec. 10 & 15

39.84 1/2 Set q. Sec. post at average dist. from which  
at Beech 15 in. dia. bray S 86 E 10 lks. dist. of  
a do. 4 " " " N 42 E 19 " "

79.69 to Sec. Corner

East On Rand<sup>m</sup> between Sec. 13 & 14

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 6 lks. S. of post  
Broken 3<sup>rd</sup> rate, Beech, Oak & Poplar, ung<sup>d</sup> Spice

West Corrected between Sec. 13 & 14

40.25 Set q. Sec. post at average dist. from which



## T8 N R M E. D. Mer. Indiana

ch. 2<sup>1</sup>/<sub>2</sub> m

a Beech 10 in. dia. bray S 40 E 14 lks. dist. of  
a do. 10 " " " N 30 E 12 " "

80.50 to Sec. Corner

East On Rand. between Sec. 1, 12 &amp; 13

40.00 Set temp. p. of Sec. post

80.00 Intersected the E. boundary 64 lks. S. of post  
Land timber &c. same as on the last mile

West Corrected between Sec. 1, 12 &amp; 13

20.00 a Stream 50 lks. wide Course S 70 W

33.00 Langhury Creek runs S. W. heady N 80 W.

40.00 Set p. of Sec. post at average dist. from which  
a Beech 12 in. dia. bray South 4 lks. dist. of  
no other bearing tree

77.00 a Stream 16 lks. wide Course E.

80.00 to Sec. Corner.

North Between Sec. 1, 11 &amp; 12

9.00 crossed a brook 12 lks. wide Course S. E.

15.00 crossed same 12 " " " S. W.

25.00 crossed same 12 " " heady N. W.

40.00 Set p. of Sec. post, from which

a Beech 16 in. dia. bray S 88 W 6 lks. dist. of

a do. 12 " " " N 45 E 17 " "

80.00 Set post cor. to Sec. 1, 2, 11 & 12, from which  
a Beech 18 in. dia. bray S 70 E 18 lks. distant  
no other bearing tree

This mile level, timber Beech, Oak &amp;c.

East On Rand. between Sec. 1 &amp; 12

35.00 to the bank of Langhury Creek Course S. 70 E

40.00 Set temp. p. of Sec. post

80.60 Intersected the E. boundary 100 lks. N. of the post  
Land broken 3<sup>d</sup> rate, timber Beech, Oak, Poplar &c

S 8 N. R 11 E. 2<sup>d</sup>. Mer. Indiana.40<sup>th</sup> Lk.

West Corrected between Sec. 1 &amp; 12

40.30 Set q<sup>r</sup>. Sec. post at average dist on true line in  
 Laughery Creek, from which  
 a Sugar 18 in. dia<sup>r</sup>. bear North 88 l<sup>y</sup>. dist  
 80.60 to Sec. Corner.

North Between Sec. 1 &amp; 2, S 8 N. R 11 E.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Sugar 10 in. dia<sup>r</sup>. bear S 68 E 20 l<sup>y</sup>. distant &  
 a Beech 10 " " " S 80 W 12 " "  
 80.75 Intersected the N. boundary 50 l<sup>y</sup>. E. of post  
 Set post Cor. to Sec. 1 & 2, from which  
 a Beech 18 in. dia<sup>r</sup>. bear S 40 E 20 l<sup>y</sup>. dist. &  
 a Hickory 4 " " " West 6 " "  
 Land 3<sup>d</sup>. rate, timber Beech, Oak, Poplar, broken

North Between Sec. 10 &amp; 11, S 8 N. R 11 E.

17.00 a stream 10 l<sup>y</sup>. wide Course E.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 22 in. dia<sup>r</sup>. bear S. E. 24 l<sup>y</sup>. dist. &  
 an Elm 14 " " " N 34 W 13 " "  
 65.50 a stream 20 l<sup>y</sup>. wide run East  
 80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
 a Poplar 18 in. dia<sup>r</sup>. bear N 44 W 6 l<sup>y</sup>. dist. &  
 a Sugar 12 " " " South 7 " "  
 This mile broken 3<sup>d</sup>. rate, timber Beech & Poplar

East On Land<sup>m</sup>. between Sec. 2 & 11

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.12 Intersected the N & S. line 50 l<sup>y</sup>. S. of post  
 This mile some broken & 3<sup>d</sup>. rate, timber Beech,  
 Poplar, Sugar &c. underg<sup>th</sup>. Spruce

West Corrected between Sec. 2 &amp; 11

20.00 a Brook 10 l<sup>y</sup>. wide Course S. W.  
 39.56 Set q<sup>r</sup>. Sec. post at average dist. from which

T8N R11E, 2.<sup>d</sup> Mer. Indiana

a Sugar 10 in. dia. bray S45 E 15 lks. dist. 7  
 at Beech 4 " " " N17 W 10 " "  
 79.12 to Sec. Corner

## North Between Sec. 2 &amp; 3

40.00 Set of Sec. post, from which  
 a Beech 10 in. dia. bray N80 W 16 lks. dist. 7  
 a Do. 24 " " " N60 W 22 " "  
 80.00 Intersected the N. boundary 238 lks. E. of post  
 at post cor. to Sec. 2 & 3, from which  
 a Beech 18 in. dia. bray N30 E 15 lks. dist. 7  
 a Sugar 14 " " " N44 W 17 " "  
 Land broken, timber Beech, Poplar &c.

## North Between Sec. 9 &amp; 10

40.00 Set of Sec. post, from which  
 a Poplar 18 in. dia. bray East 15 lks. dist. 7  
 a Beech 8 " " " S64 W 12 " "  
 80.00 Set post cor. to Sec. 3, 4, 9 & 10, from which  
 a Beech 12 in. dia. bray N40 E 40 lks. dist. 7  
 a W. Ash 10 " " " S29 W 17 " "  
 Level 3.<sup>d</sup> rate, Beech, Maple, Hickory &c

## East On Rand. between Sec. 3 &amp; 10

40.00 Set temp. of Sec. post  
 79.50 Intersected the N & S. line 84 lks. S. of the post  
 Land level 2.<sup>d</sup> rate Beech, Poplar, Sugar &c.

## West Corrected between Sec. 3 &amp; 10

23.50 at Brook 12 lks. wide Course S.  
 39.75 Set of Sec. post at average dist. from which  
 a Beech 10 in. dia. bray N70 E 10 lks. dist. 7  
 a Do. 6 " " " S39 W 27 " "  
 79.50 to Sec. Corner

## North Between Sec. 3 &amp; 4, T8N R11E.

Ch. lky.

- 20.00 at Brook 6 lky. wide Corner E.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. dia. bray N 80° W 13 lky. dist. &  
 a Do. 24 " " " " 166 E 15 " "  
 80.44 Intersected the N. boundary 338 lky. E. of post  
 Set post Cor. to Sec. 3 & 4, from which  
 a Beech 28 in. dia. bray S 80° W 14 lky. dist. &  
 a Do. 8 " " " " East 18 " "  
 Land level 3<sup>d</sup> rate, timber Beech, interspersed  
 with Poplar & Ash, underg<sup>d</sup>. Spruce
- 

North Between Sec. 8 & 9

- 21.50 at Brook 10 lky. wide run S. W.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Poplar 48 in. dia. bray S 5 E 6 lky. dist. &  
 a Do 18 " " " " West 14 " "  
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Beech 16 in. dia. bray N 67° W 14 lky. dist. &  
 a Sugar 8 " " " " N 40 E 35 " "  
 Land same, timber Beech, Poplar, Sugar, Hickory.
- 

East On Land<sup>m</sup>. between Sec. 4 & 9

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.24 Intersected the N & S. line at the post  
 This mile level 3<sup>d</sup> rate Beech, Oak, Poplar &c.  
 underg<sup>d</sup>. Spruce
- 

West Cornetted between Sec. 4 & 9

- 40.12 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 12 in. diam. stands for the 1/4 Sec. post  
 a B. Oak 18 " " is the witness  
 80.24 to Sec. corner
- 

North Between Sec. 4 & 5, S 8 N R 11 E.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. diam. bray N 44 E 14 lky. dist. &



## T8 N. P. M. E. D. Mer. Indiana

ch. 16. 1/2.

a Beech 16 in. diam. bray N 68° W. 25 lks. dist.  
 79.92 Intersected the N. boundary 485 lks. E. of post  
 Set a post Cor. to Sec. 4 & 5, from which  
 a Beech 18 in. diam. bray N 79° E 35 lks. dist. &  
 a Sugar 8 " " " S 51° W 14 " "  
 Land timber &c. Same as on the last mile

North Between Sec. 7 &amp; 8, T8 N. P. M. E.

25.00 a Stream 16 lks. wide Course S. W.

35.00 a do. 15 " " " S. E.

40.00 Set gp. Sec. post, from which  
 a Beech 6 in. diam. bray N 20° E 4 lks. dist. &  
 a do. 8 " " " N 40° W 14 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
 a Beech 4 in. diam. bray S 10° W 11 lks. dist. &  
 a do. 6 " " " N 30° E 2 " "

This mile level Cold 3<sup>d</sup> rate Soil, Beech & Maple

East On Random between Sec. 5 &amp; 8

40.00 Set temp. gp. Sec. post

79.25 Intersected the N & S. line 15 lks. N. of the post  
 This mile level 3<sup>d</sup> rate, Cold Soil good mead-  
 ow land, timber Beech, Oak, Maple &c.

West Corrected between Sec. 5 &amp; 8

39.62 1/2 Set gp. Sec. post at average dist. from which  
 a Beech 6 in. diam. bray North 6 lks. dist. &  
 a do. 6 " " " South 10 " "

79.25 to Sec. Corner.

West Between Sec. 6 &amp; 7, T8 N. P. M. E.

40.00 Set gp. Sec. post, from which  
 a Beech 3 in. diam. bray S 75° W 13 lks. dist. &  
 a do. 10 " " " N 49° E 22 " "

50.00 a Stream 15 lks. wide runs S. W.

60.10 Intersected the W. boundary 40 lks. N. of post

T8N-12E.D. Mer. Indiana

29

ch. lks.

Set a post Cor. to Sec. 6 & 7, from which  
a Beech 6 in. diam. bears S 85 W 12 lks. dist. &  
a Do. 8 " " " N 30 E - " "  
This mile level land Beech &c.

North Between Sec. 5 & 6, T8N-12E.

39.25 a stream 8 lks. wide course E.

40.00 Set q. Sec. post, from which  
an Elm 8 in. diam. bears North 4 lks. dist. &  
a Beech 12 " " " N 4 W 19 " "

79.25 Intersected the N. boundary 700 lks. E. of post  
a Beech 8 in. diam. stands for the corner of  
Sec. 5 & 6. This mile level D. rate, timber  
Beech, Ash, Poplar &c.

Surveyed in the year 1807

By Stephen Ludlow,

Deputy Surveyor

Comp.

I certify that the foregoing transcript of field  
notes of Township No. 8 North, of Range No. 11  
East T. Principal Meridian in the State of  
Indiana, has been compared with the original  
notes in this Office, and found to be correct.

Surveyor General's Office  
Cincinnati December 26, 1842

William Johnston  
Sur. Genl.